## SCIENTIFIC INDUSTRIAL



### NONDESTRUCTIVE TESTING

OIL, GAS AND
PETROCHEMICAL INDUSTRY

# 

About us	2
Ultrasonic flaw-detectors	4
Ultrasonic flaw-detector with eddy-current channel «PELENG» UD3-307EC	
Ultrasonic flaw-detector «PELENG» UD3-204	10
Eddy-current flaw-detector «PELENG» EC-100	14
Ultrasonic thickness gauge ALTEK «AT-17»	16
Ultrasonic transducers and scanning systems	18
Chord type piezoelectric transducers	20
Piezoelectric transducers	21
TOFD scanning system	28
Eddy-current transducers	30
Eddy-current scanning systems for drill pipe threads	32
Eddy-current scanning systems for pipe body	
Measures and calibration blocks	36
Ultrasonic measures	38
Eddy-current measures	40
Reference blocks	42
Service	44
Development of reference documents and technical instructions	46
Metrological service	
Repair	
Personnel training	
Notes	50

# 


Scientific Industrial Group "Altek" was founded in 1998. It unites several enterprises specialized in manual and automated ultrasonic and eddy-current testing, executing research, development, production, supply, after-sales and extended service of flaw-detectors series "PELENG" and automated testing series for wheelsets of railway vehicles "PELENG-AUTOMAT".

Our team includes scientists and engineers, experienced in theory and practice of nondestructive testing (NDT), who execute wide-ranging and scientific researches and experimental-design development of creating manual and automated NDT instruments, based on the most modern engineering solutions.

The devices produced by group "Altek" have taken the leading place in NDT all over Russia and CIS.



# COOPERATION OF «ALTEK» WITH GAS AND OIL INDUSTRIAL FACILITIES





### FLAW-DETECTORS





## **CONTENTS:**

- «PELENG 307» UD3-307EC
- «PELENG» UD3-204
- «PELENG» EC-100
- Thickness gauge «ALTEK» AT-17





# PREMIUM FLAW-DETECTOR "PELENG 307" UD3-307EC







### **FUNCTIONS**

Besides ordinary flaw-detection tasks, UD3-307EC provides the following functions:

- 1. Weld testing according to CTO Газпром 2-2.4-083-2006, РД-25.160.10-КТН-015-15, РД-25.160.10-КТН-016-16 иРД-19.100.00-КТН-001-10;
- 2. Thickness measurement (detection of corrosion and scours);
- 3. Joint weld testing using TOFD mode in accordance with the requirements of CEN/TS 14751 (2004), E 2373 (USA, 1993) and BS 7706 (1993);
- 4. Polyethylene pipe testing in accordance with the technological instruction;
- 5. Eddy-current testing with the purpose of detecting surface and subsurface defects.





Ultrasonic test methods	pulse-echo pitch-catch
Eddy-current test methods	amplitude phase combined
Eddy-current testing modes	dynamic static
Ultrasonic channels number	1
Eddy-current channels number	1
Display	color TFT
Alarms	sound alarm front panel LEDs eddy-current transducer LED
Ultrasonic frequencies, MHz	0,40; 1,25; 1,80; 2,50; 5,00; 10,00
Ultrasonic pulser voltage, V high low	120 4,5
Pulse repetition frequency, Hz	25 5000
Eddy-current frequency, kHz	10 100 (step 1)
Eddy-current pulser voltage, V	0,8; 1,5; 3,4; 8,3

# 

Scan types  ultrasonic	A-scan W-scan B-scan
eddy-current	running scan complex plane
Amplificaton range	
ultrasonic channel, dB eddy-current channel, rel. units	080 080
Thickness measuring step, mm	0,01
Time-gain depth, dB	
edition «acceptance testing» other editions	up to 60 up to 40
A-scan duration, ms	
minimum	1,3
maximum	10917
Thickness gaging range in steel, mm	3 5000
Crack depth maesuring range in eddy-current mode, mm	0,1 9,9
Flaw depth in steel measuring range with straght-beam transducer, mm	1 32221
Temperature range, °C	-25 +50
Weight, kg	1,3
Dimentions, mm	140×220×42
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \



## **ULTRASONIC FLAW-DETECTOR** «PELENG» UD3-204



for carrying out ultrasonic control, and also is used as the thickness gauge. Besides detection of defects measurement and registration of characteristics of the revealed defects is provided.

#### ADVANTAGES

- typical presets
- frequency up to 25 MHz
- two independent channels
- thickness gauge mode
- metal case
- adjustable pulse shape







Flaw-detector UD3-204 has acoustic coupling track mode, time-gain mode, generalized DGS and custom DGS can be downloaded from a PC.

Besides, in UD3-204 there is a mode of assessment of coefficient of attenuation of ultrasonic waves in material of a test piece (it is used in the DGS mode), and also the mode of the accounting of curvature of a surface helping to determine precisely coordinates of defects at control across forming the cylinder.

#### **FEATURES**

- gain range 120 dB and step change of amplitude of the pulse
- plotting of DGS on points
- creation of curvilinear thresholds as ARD-diagrams or curvilinear thresholds on points (DAC curves)
- one or two scans on one screen, the mode of the full screen during the work in single-channel option
- three curvilinear tresholds in each gate with color indication






Ultrasonic test methods	pulse-echo pitch-catch
Ultrasonic channels number	2
Ultrasonic frequency, MHz	0,4; 0,62; 1,25; 1,8; 2,0; 4,0; 2,5; 5,0; 10,0; 15,0; 25,0
Primary indicator	color TFT 640x480 pix.
Pulse repetition rate, Hz	25 5000
Gain range, dB	0 120 (step 1)
Time-gate nodes number	64
Information display	double view full-screen view
Scan types	A-scan: current; «Magnify»; «Envelope»; «Freeze»; screenshot; W-scan («beam path»); B-scan;
A-scan duration, μs	1 8188
A-scan delay, μs	0 10 (step 0,1) 10 8188 (step 1)



Gates number	1 or 2
Gate indication levels	
pulse-echo pitch-catch	3 1
Theshold, display height %	595 (step 1)
Time measurement range, μs	10 8188
Beam angle range, deg.	0 90 (step 1)
Velocity range, m/s	300 30000 (step 1)
Thickness measurement range, mm	0,4 3000
Thickness measurement resolution, mm	0,01
Battery type	LiIon
Continuous work time, h, at display brightness 4	10
Charging time, h	5
Weight, kg	2,65
Dimentions, mm	235x190x60



# EDDY-CURRENT FLAW-DETECTOR «PELENG» EC-100






Test methods	phase/amplitude combined
Test modes	dynamic / static
Channels	1
Indicator	LCD display
Scan types	running scan dynamic scale complex plane
Extra indicators	sound alarm, LED
Frequency, kHz	10 100 (step 1)
Amplification range, dB	0 99
Battery type	NiMH
Continuous operation time with 4 batteries with backlight mode 4, h	16
Charge time, h	12
Weight, kg: flaw-detector Power unit	0,34 0,1
Dimentions, mm: flaw-detector Power unit	90×143×35 72×77×35



## ULTRASONIC THICKNESS GAUGE ALTEK "AT-17"





#### ADVANTAGES

- metal casing and strike-resistant display
- built-in set-up sample
- the range of the measured thickness from 0,8 mm
- a possibility of measurement of thickness through a paint coat
- interface, clear and simple
- representation of results of measurements in digit and A-scanning
- possibility of battery charging from USB



Measured thickness range, mm in steel	0,8300
Permissible measured error H, mm	± (0,01H+0,1)
Additional error of measurement, mm, (roughness Rz $\leq$ 320 $\mu$ m)	± 0,2
Discretization of thickness indication, H, mm	0,01 when H<100 0,1 when H>100
Velocity range, m/s	1000 15000
Measurement execution time, s	3
Measured materials:	<ul> <li>Steel</li> <li>Aluminum</li> <li>Copper</li> <li>Brass</li> <li>Titan</li> <li>Cast iron</li> <li>Glass</li> <li>Polyethylene</li> <li>Ceramics</li> <li>Plastic</li> </ul>
Continuous work time, h	8
Dimensions, mm	60x35x170
Weight, g	0,45



# TRANSDUCERS AND SCANNING SYSTEMS






### CONTENTS

- Piezoelectric transducers
- Scanner TOFD
- Eddy-current transducers
- Eddy-current locking thread scanners
- Multichannel eddy-current scanners






# CHORD-TYPE PIEZOELECTRIC TRANSDUCERS






# PIEZOELECTRIC TRANSDUCERS






# GENERAL PURPOSE SHEAR WAVE TRANSDUCERS


#### **GENERAL FEATURES**



# ——<a>23</a> <a>2</a>



Transducer mark	Freq. MHz	Crystal	Index, mm	Memory chip
П121-1,25-40-002			10	no
П121-1,25-40-002П			10	yes
П121-1,25-50-002	1,25	rectangle, 16×12 mm	13	no
П121-1,25-50-002П	1,23			yes
П121-1,25-65-002			17	no
П121-1,25-65-002П			/	yes
П121-1,8-40-002			9	no
П121-1,8-40-002П				yes
П121-1,8-45-002			10	no
П121-1,8-45-002П		-		yes
П121-1,8-50-002	1,8	disc, Ø12	11	no
П121-1,8-50-002П		mm		yes
П121-1,8-60-002			12	no
П121-1,8-60-002П			13	yes
П121-1,8-65-002				no
П121-1,8-65-002П				yes
П121-2,5-50-002П			11	no
П121-2,5-60-002				yes no
П121-2,5-60-002П			12	ves
П121-2,5-65-002		disc, Ø12		no
П121-2,5-65-002П	2,5	mm	13	yes
П121-2,5-70-002				no
П121-2,5-70-002П			15	yes
П121-2,5-74-002				no
П121-2,5-74-002П			15	yes




Transducer mark	Freq. MHz	Crystal	Index, mm	Memory chip
П121-2,5-40-003			7	no
П121-2,5-40-003П				yes
П121-2,5-50-003			10	no
П121-2,5-50-003П				yes
П121-2,5-60-003		disc, Ø10	9	no
П121-2,5-60-003П	2,5	mm		yes
П121-2,5-65-003	МГц		9	no
П121-2,5-65-003П				yes
П121-2,5-70-003			11	no
П121-2,5-70-003П		8×10 mm		yes
П121-2,5-90-003			_	no
П121-2,5-90-003П				yes
П121-5-40-003		5,0 rectangle,	6	no
П121-5-40-003П				yes
П121-5-45-003			6	no
П121-5-45-003П				yes
П121-5-50-003			5	no
П121-5-50-003П				yes
П121-5-60-003			6	no
П121-5-60-003П	МГц	5×10 mm		yes
П121-5-65-003			7	no
П121-5-65-003П				yes
П121-5-70-003			8	no
П121-5-70-003П				yes
П121-5-74-003			9	no
П121-5-74-003П				yes




# GENERAL PURPOSE WEAR-RESISTANT SHEAR WAVE TRANSDUCERS


#### GENERAL FEATURES







Transducer mark	Freq. MHz	Crystal	Index, mm	
П121-1,25-40-002М		disc, Ø12 mm	10	
П121-1,25-50-002М	1,25		13	
П121-1,25-60-002М			17	
П121-1,8-40-002М	1,8	disc, Ø12 mm	9	
П121-1,8-45-002М			10	
П121-1,8-50-002М			11	
П121-1,8-60-002М			12	
П121-2,5-50-002М		disc, Ø12 mm	11	
П121-2,5-60-002М			12	
П121-2,5-65-002М	2,5		13	
П121-2,5-70-002М			13	
П121-2,5-74-002М			15	




Transducer mark	Freq. MHz	Crystal	Index, mm
П121-2,5-40-003М			7
П121-2,5-50-003М			10
П121-2,5-60-003М	2.5	disc, Ø10 mm	9
П121-2,5-65-003М	2,5		11
П121-2,5-70-003М			11
П121-2,5-90-003М		8×10 mm	-
П121-5-40-003М			6
П121-5-50-003М		rectangle,	6
П121-5-60-003М	5,0		6
П121-5-65-003М		5×10 mm	7
П121-5-70-003М			8
П121-5-74-003М			9



# GENERAL PURPOSE STRAIGHT-BEAM TRANSDUCERS

#### **GENERAL FEATURES**




# ——\$\(\text{21}\) \(\text{\rightarrow}\)

Factor K20	Factor K12 and 002	Factor K6
928 588 924 938	\$20 \$\frac{\phi_{16}}{\phi_{29}}\$	920 920 910 929 24,5

Transducer mark	Freq. MHz	Crystal, mm	Test range, mm	Memory chip				
Single crystal								
П111-1,25-К20	1,25	Ø20	15 180 <sup>1)</sup>	no				
П111-1,8-К20	1,8	Ø20	15 180 <sup>1)</sup>	no				
П111-1,8-К12	1,0	Ø12	15 180 <sup>2)</sup>	no				
П111-2,5-К12	2,5	Ø12	10 180 <sup>2)</sup>	no				
П111-2,5-К12П	2,5			yes				
П111-5-К12	F.0	Ø12	15 70 <sup>3)</sup>	no				
П111-5-К6	5,0	Ø6	5 70 <sup>3)</sup>	no				
П111-10-П6	10,0	Ø6	2 30 4)	no				
Dual crystal								
П112-2,5-12-002	2,5	Ø12/2 (2 pcs.)	2 30 <sup>2)</sup>	no				
П112-5-12-002	5.0	G12/2/2 nos \	5 30 <sup>3)</sup>	no				
П112-5-12-002П	5,0	Ø12/2 (2 pcs.)	5 30 <sup>3)</sup>	yes				



### SCANNER TOFD



#### **ADVANTAGES**

- reduction of time for search of defects in welds
- detection of defects of any orientation
- high repeatability and accuracy of determination of theextent of defects
- the evident image of location of defects in controlled section
- the magnetic clip provides reliable positioning of scanner on an object


Scanners are used in conjunction with multifunctional flaw-detector PELENG UD3-307EC.



### TOFD - Time of Flight Diffraction method

The course of beams at control by a diffraction and time method of ultrasonic control (TOFD) is presented in the drawing:

The type of signals on A-development on which setup of the equipment is made is presented in the drawing:



The image received with application of scanner TOFD and flaw-detector of UD3-307EC



## EDDY-CURRENT TRANSDUCERS





# TECHNICAL FEATURES OF PASSIVE TRANSDUCERS

Probe mark	Probe diameter	Dimentions, mm	Frequency, Connector		
Altek ΠH-4-AK-002	1,2	Ø15x77			
Altek ΠΗ-7,5-AK-003	2,5	Ø15x97	70	LEMO 8-pin	
Altek ΠΗ-15-ΑΚ-004	6,5	Ø15x92			

## TECHNICAL FEATURES OF ACTIVE TRANSDUCERS

Probe mark	Probe diameter mm	Purpose	Dimen.,	Freq., kHz	Connector
Altek ΠHA-4-001	1,2	Al	Ø4507	750	LEMO O min
Altek ΠHA-4-002		Fe	Ø15x97	1500	LEMO 8-pin





# EDDY-CURRENT SCANNERS OF DRILL PIPE LOCKING THREADS





#### USE JUSTIFICATION

In modern foreign and domestic standards and methods of diagnosing of drilling equipment references of a possibility of carrying out eddy-current control (State standard specification P 54383-2011 or API Spec 5DP) appear. It is developed and prepares for entering of GOST P ISO 10893-2, determining conditions of carrying out vikhretokovy control of steel seamless and welded pipes, and also criteria of rejection. In the DS-1 standard (Volume 3) there is a description of the procedure of carrying out electromagnetic control of a body of a pipe. Eddy-current control is one of kinds of electromagnetic control. In 2015 we wrote a technique of vikhretokovy control of boring pipes which was approved "Vniitneftetruby" LTD (Samara).

Our equipment allows to simplify and accelerate considerably carrying out diagnosing of threaded connections of boring pipes.





### PIPE BODY SCANNER






#### PRACTICAL FEATURES

- The graphical interface ensures ease of analysis of information from a large number of transducers. The monitoring process is intuitive. In case of exceeding the threshold triggers a light and audible indication with a maximum amplitude of the signal is highlighted in red.
- For confirmation of the defect scanner has a data output mode with one selected (by the operator or automatically) transducer. This mode displays a running scan, which clearly is possible to estimate exceeding the threshold.
- Set of the sensitivity of the ECP occurs on the calibration.
   There are several modes, allowing to achieve an optimal result settings. Also there is the setting possibility "on air".





• There is the possibility of creating a protocol on results of the inspection.





# MEASURES AND CALIBRATION BLOCKS













### CONTENTS

- Ultrasonic measures from State Register
- Eddy-current measures from State Register





### **ULTRASONIC MEASURES**

ВИЛЕТЕЛЬСТВО

Committee in the same

1. A set of ultrasonic measures of KKO-3 is included in the State register of measuring instruments. Intended for reproduction and storage of the physical quantity of the specified geometric dimensions of the artificial defects and is used for verification, calibration and adjustment of ultrasonic flaw-detectors.

Registration number: 63388-16





2. A set of ultrasonic measures of KKO-2 is included in the State register of measuring instruments. Intended for reproduction and storage of the physical quantity of the specified geometric dimensions of the artificial defects and is used for verification, calibration and adjustment of ultrasonic flaw-detectors.

Registration number: 63389-16

Measure KO-V1 (ISO 2400) Measure KO-V2 (ISO 7963)





#### **EDDY-CURRENT MEASURES**



1. A set of measures of artificial defects KMNA-BT included in the State register of measuring instruments. Intended for reproduction and storage of the physical quantity of the specified geometric dimensions of the artificial defects, the thickness of dielectric coatings and is used for verification, calibration and adjustment eddy current flaw-detectors.

Registration number: 59638-15

The measures are metal bars with coated working surfaces and artificial defects attached to them samples of dielectric coatings in the form of films or plates of predetermined thickness.



## ——\$\( \)\( \)\( \)\( \)

2. A set of measures of artificial defects HO-37-38-38 TNC is included in the State register of measuring instruments. Intended for reproduction and storage of the physical quantity of the specified geometric dimensions of the artificial defects and is used for verification, calibration and adjustment eddy current flaw-detectors. Defects are made on the working surfaces of the steps, one of which simulates surface roughness Rz=160...320.

Registration number: 59756-15



SEASON SERVICES AND THE PARTY OF THE PARTY O

СВИДЕТЕЛЬСТВО



#### MEASURES FROM INDUSTRIAL REGISTERS





#### 1. Chord type samples are made due to:

- ИПТ-010-95
- C∏ 42-103-2003

#### 2. Blocks with notch are made due to:

- CTO ΓΑ3ΠΡΟΜ 2-2.4-083-2006
- РД-25.160.10-KTH-016-15
- РД-19-100.00-КТН-001-10
- РД-08.00-60.30.00-KTH-046-1-05
- МДС 53-1.2001
- СНИП 3.03.01-87
- РДИ 38.18.016-94
- CTO 00220256-005-2005
- CTO 00220256-014-2008
- MT-PTC-K-01-94

**3. Specimens for eddy current testing** are made in accordance with the requirements of the customer. As in normative documents on diagnosis of drill pipes, there are no explicit requirements for eddy-current flaw-detection, we propose to use the technique of eddy current testing of drill pipes of «Vniineftehim» LTD.





### SERVICE








### CONTENTS

- The development of standards and technical instructions
- Metrology
- Repair
- Personnel training






## THE DEVELOPMENT OF STANDARDS AND TECHNICAL INSTRUCTIONS





### **METROLOGY SERVICE**






### REPAIR






#### PERSONNEL TRAINING





### NOTES



(812) 336-8888 (812) 6767-660 altek@altek.info www.altek.info



192029 86, Obukhovskoy Oborony pr., Saint-Petersburg, Russia